



MATERIAL SAFETY DATA SHEET

EPO-TEX PRIMER COMP. B
 PRODUCT CODE: PR102B

Page 1 of 4

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY
--

MANUFACTURER'S NAME / ADDRESS

TEXTURED COATINGS OF AMERICA, INC.

Corporate Offices & Eastern plant
 2422 EAST 15TH ST.
 PANAMA CITY, FL 32405
Info- (850) 769-0347

TRADE NAME: EPO-TEX PRIMER COMP. B

MAIN USE: PRIMER CURATIVE

Western Plant
 5950 SOUTH AVALON BLVD.
 LOS ANGELES, CA 90003
Info- (323) 233-3111
(800) 424-9300 (CHEMTREC)

INITIAL ISSUE DATE: OCTOBER 9, 2006

REVISION DATE:

PREPARED BY: J.W.ESSIG

SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS
--

INGREDIENTS	Wt. %	CAS Number
ALIPHATIC POLYAMINE	60-100	Trade Secret
3-AMINOMETHYL-3,3,5-TRIMETHYLCYCLOHEXYLAMINE	3-7	002855-13-2
M-XYLENEDIAMINE	1-5	001477-55-0

EXPOSURE LIMITS (ppm)

INGREDIENTS (CAS)	OSHA		ACGIH		OTHER
	TWA	STEL	TWA	STEL	
POLYAMINE	NE	NE	NE	NE	
002855-13-2	NE	NE	NE	NE	
000100-51-6	0.1mg/m ³	NE	0.1mg/m ³	NE	

LEGEND: (M) MAX. EXPOSURE LIMIT; (S) OCCUPATIONAL EXP. LIMIT; (R) SUPPLIERS REC. LIMIT, (+) PERCUTANEOUS RISK
 COATING VOC: COMPONENT = 0 grams/liter AS APPLIED: 57 grams/liter

SECTION 3: HAZARDS IDENTIFICATION
--

EMERGENCY OVERVIEW

FORM: LIQUID
 COLOR: YELLOWISH
 ODOR: AMMONIACAL

WARNING STATEMENTS

DANGER!
 CAUSES EYE BURNS
 CAUSES SKIN BURNS
 MAY CAUSE RESPIRATORY TRACT IRRITATION
 MAY CAUSE ALLERGIC SKIN REACTION
 MAY BE HARMFUL IF ABSORBED THROUGH SKIN
PRIMARY ROUTES OF ENTRY: INHALATION, SKIN ABSORPTION, EYE CONTACT.

HEALTH HAZARDS (ACUTE AND CHRONIC EXPOSURES)

EYES: ACUTE – CAUSES EYE BURNS. INJURY MAY BE PERMANENT
 CHRONIC – MAY CAUSE CLOUDING OF CORNEA WITH REPEATED CONTACT.
 SKIN CONTACT: ACUTE – CAUSES SKIN BURNS. INJURY MAY BE PERMANENT.
 CHRONIC – REPEATED OR PROLONGED CONTACT MAY CAUSE ALLERGIC REACTION.



MATERIAL SAFETY DATA SHEET

EPO-TEX PRIMER COMP. B
PRODUCT CODE: PR102B

Page 2 of 4

SECTION 3: HAZARDS IDENTIFICATION CON'T.

SKIN ABSORPTION: ACUTE – MAY BE HARMFUL. CONTAINS COMPONENTS WHICH CAN BE ABSORBED.

CHRONIC – COMPONENTS MAY CAUSE CENTRAL NERVOUS SYSTEM DEPRESSION.

INHALATION: ACUTE – NO SPECIFIC DATA. MAY CAUSE IRRITATION OF RESPIRATORY TRACT, HEADACHE AND DIZZINESS.

CHRONIC – PROLONGED EXPOSURE MAY CAUSE ALLERGIC REACTIONS.

INGESTION: ACUTE – NO SPECIFIC DATA. COMPONENTS HAVE LOW ORDER OF TOXICITY.

CHRONIC – NO SPECIFIC DATA.

CONDITIONS AGGRAVATED BY EXPOSURE: SKIN DISORDERS AND ALLERGIES.

CARCINOGENIC DATA: THIS PRODUCT CONTAINS NO CARCINOGENS IN CONCENTRATIONS OF 0.1% OR GREATER.

TERATOGENICITY: ND

MUTAGENICITY: ND

EMBRYOTOXICITY: ND

SYNERGISTIC MATERIAL: ND

OVEREXPOSURE EFFECTS: LACRIMATION OF EYES, SKIN IRRITATION, DIZZINESS.

IRRITANCY: YES

SENSITIZER: YES

SECTION 4: FIRST AID MEASURES

GENERAL: REMOVE PERSON FROM AFFECTED AREA AND MAKE COMFORTABLE. TREAT SYMPTOMATICALLY.

EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

SKIN: REMOVE PRODUCT AND FLUSH AFFECTED AREA WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

INHALATION: MOVE TO FRESH AIR. GIVE ASSISTED RESPIRATION IF BREATHING HAS STOPPED OR IS LABORED (CALL A PHYSICIAN).

INGESTION: GIVE 3 – 4 GLASSES OF WATER OR MILK IF PERSON IS CONSCIOUS. **DO NOT INDUCE**

VOMITING! OBTAIN MEDICAL CARE AND TREATMENT. NO MORE THAN SLIGHTLY TOXIC IF SWALLOWED.

SECTION 5: FIRE FIGHTING MEASURES

FLASH POINT: >100⁰ C (212⁰ F)

CONDITIONS OF FLAMMABILITY: NA

FLAMMABLE LIMITS: LEL: NA UEL: NA

OSHA CLASS: NA

AUTO IGNITION TEMP.: NA

HAZARDOUS COMBUSTION PRODUCTS: CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES

SENSITIVITY TO IMPACT: NONE

SENSITIVITY TO STATIC DISCHARGE: NONE

EXTINGUISHING MEDIA: WATER SPRAY, CO2, DRY CHEMICAL

SPECIAL FIRE FIGHTING PROCEDURES: NONE LIKELY WITH SMALL QUANTITIES. FOR LARGE QUANTITIES, FIREFIGHTERS AND OTHERS EXPOSED TO VAPORS OR PRODUCTS OF COMBUSTION SHOULD WEAR BUTYL RUBBER BOOTS, GLOVES AND BODY SUIT. SELF-CONTAINED BREATHING APPARATUS SHOULD BE WORN.

UNUSUAL FIRE AND EXPLOSIVE HAZARDS: NONE KNOWN.

SECTION 6: ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: CONTAIN LARGE SPILLS WITH DIKES AND TRANSFER MATERIAL TO APROPRIATE CONTAINERS FOR RECLAMATION OR DISPOSAL. ABSORB REMAINING MATERIAL OR SMALL SPILLS WITH AN INERT MATERIAL AND THEN PLACE IN CHEMICAL WASTE CONTAINER. FLUSH SPILL AREA WITH WATER. FOR FURTHER DISPOSAL MEASURES SEE CHAPTER 13.



MATERIAL SAFETY DATA SHEET

EPO-TEX PRIMER COMP. B
PRODUCT CODE: PR102B

Page 3 of 4

SECTION 7: HANDLING AND STORAGE

GENERAL: STORE AND HANDLE IN WELL VENTILATED AREAS. KEEP COOL, DRY AND IN CLOSED CONTAINERS. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. AVOID BREATHING VAPOR OR MIST.

SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION

ENGINEERING CONTROLS: NO SPECIFIC CONTROLS NEEDED. GENERAL AND LOCAL EXHAUST RECOMMENDED.

RESPIRATORY PROTECTION: NONE REQUIRED IN ADEQUATELY VENTILATED AREAS. APPROPRIATE RESPIRATORY PROTECTION IS REQUIRED WHEN EXPOSURE TO AIRBORNE CONTAMINANTS MAY EXCEED ACCEPTABLE LIMITS. RESPIRATORS SHOULD BE SELECTED AND USED IN ACCORDANCE WITH OSHA, SUBPART I (29 CFR 1910.134)

EYE PROTECTION: SPLASH-PROOF GOGGLES OR CHEMICAL SAFETY GLASSES.

OTHER PROTECTIVE EQUIPMENT: CHEMICAL RESISTANT GLOVES, LONG SLEEVED SHIRTS AND TROUSERS. EMERGENCY SHOWERS AND EYE WASH STATIONS SHOULD BE READILY ACCESSIBLE.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: >100⁰ C (212⁰ F)

SPECIFIC GRAVITY: 1.06

VAPOR PRESSURE: ND

MELTING POINT: ND

VAPOR DENSITY: >1

EVAPORATION RATE: <1

(AIR = 1)

(BUTYL ACETATE = 1)

SOLUBILITY IN WATER: MISCIBLE

COEFFICIENT of WATER/OIL DISTRIBUTION: ND

APPEARANCE AND ODOR: YELLOWISH LIQUID WITH AMINE ODOR.

ODOR THRESHOLD: NE

SECTION 10: STABILITY AND REACTIVITY

STABILITY: STABLE.

CONDITIONS TO AVOID: DO NOT EXPOSE TO EXTREME TEMPERATURE.

INCOMPATIBILITY (MATERIAL TO AVOID): ACIDS, ALKALIS, OXIDIZING AGENTS

HAZARDOUS DECOMPOSITION PRODUCTS: ACRYLONITRILE

HAZARDOUS POLYMERIZATION (REACTIVITY): WILL NOT OCCUR.

SECTION 11: TOXICOLOGICAL INFORMATION

ACUTE TOXICITY EFFECTS:

INGESTION: LD₅₀: >2000mg/kg (Rats);

DERMAL: ND

INHALATION: ND

EYE IRRITATION: SEVERE EYE IRRITATION

SENSITIZATION: MAY CAUSE SENSITIZATION BY SKIN CONTACT. SENSITIZATION HAS OCCURRED IN LABORATORY ANIMALS AFTER REPEATED EXPOSURES.

SECTION 12: ECOLOGICAL INFORMATION

ECOTOXICITY EFFECTS:

AQUATIC TOXICITY, EC50(24h): 2.3 mg/l Species: Daphnia magna

EC50(48h): 1.5 mg/l Species: Daphnia magna

BIODEGRADABILITY: MANOMETRIC RESPIROMETRY (OECD 301F) 0% 28d

MOBILITY: ND

BIOACCUMULATION: ND

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHODS: INCINERATION IS PREFERRED. COMPLY WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS. CHEMICAL AND/OR BIOLOGICAL DEGRADATION IS FEASIBLE.



MATERIAL SAFETY DATA SHEET

EPO-TEX PRIMER COMP. B
PRODUCT CODE: PR102B

Page 4 of 4

SECTION 14: TRANSPORT INFORMATION

DOT PROPER SHIPPING NAME: NOT REGULATED FOR TRANSPORT
HAZARD CLASS: IRRITANT. SENSITIZER.
UN NUMBER: NA
PACKING GROUP: NA
IMO SHIPPING DATA: NOT REGULATED FOR TRANSPORT
ICAO/IATA SHIPPING DATA: NOT REGULATED FOR TRANSPORT

SECTION 15: REGULATORY INFORMATION

TSCA (TOXIC SUBSTANCE CONTROL ACT): ALL COMPONENTS ARE LISTED IN THE TSCA CHEMICAL SUBSTANCE INVENTORY.
EU,EINECS: THE POLYMER CONTAINED WITHIN THIS PRODUCT IS EXEMPT FROM LISTING IN THE EUROPEAN INVENTORY. THE MONOMERS USED TO MANUFACTURE THE POLYMER ARE LISTED AS REQUIRED, AS ARE ALL OTHER COMPONENTS OF THIS PRODUCT
CANADIAN WHMIS CLASSIFICATION: D2(B), E
CERCLA (COMPREHENSIVE RESPONSE COMPENSATION and LIABILITY ACT): ND
SARA TITLE III
SECTION 312 HAZARD CLASS: IMMEDIATE (ACUTE) AND DELAYED (CHRONIC) HEALTH HAZARD.
SECTION 313 LISTED INGREDIENTS: NONE
CALIFORNIA PROPOSITION 65: The below list of compounds is known to the State of California to cause cancer, birth defects or other reproductive harm: NONE

SECTION 16: OTHER INFORMATION

HMS RATING	HEALTH	3	FLAMMABILITY	1	REACTIVITY	1
-------------------	---------------	----------	---------------------	----------	-------------------	----------

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, express or implied, is made with respect to the accuracy of the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects, which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations and orders.